

**MILD STAIN**  
VIVID EXCELLENT SOLVENT-TYPE COLOR STAIN



# 高級溶剤型着色剤 マイルド ス테인

高級木工塗料 専門技術工場

**大谷塗料株式會社**

本社・工場 〒537-0021 大阪市東成区東中本3丁目1番18号  
電話 06(976)0251(代) FAX 06(971)4901

東京・名古屋・福山・山陰・四国・福岡・熊本




# マイルド ス테인

高級溶剤型着色剤

常備色

印刷のため実際の色とは多少異なります



No. 201 イエロー




No. 210 ブラウン Y



No. 203 ブラック



No. 211 マホガニー R




No. 205 ブルー



No. 212 マホガニー B



No. 207 ウォールナット



No. 215 オレンジ



No. 209 ブラウン R



No. 217 レッド

# MILD STAIN


VIVID EXCELLENT SOLVENT-TYPE COLOR STAIN

配合色及び配合率


印刷のため実際の色とは多少異なります



MG-022 イエロー .....70  
オレンジ .....20  
ブラック .....10



MG-032 イエロー .....50  
ブルー .....50



MG-024 オレンジ .....70  
ブルー .....30




MG-034 レッド .....70  
ブルー .....20  
イエロー .....10



MG-026 イエロー .....70  
レッド .....20  
ブルー .....10



MG-036 ブラック .....30  
レッド .....70



MG-028 イエロー .....50  
レッド .....30  
ブルー .....20



MG-038 ブルー .....50  
レッド .....50



MG-030 イエロー .....50  
レッド .....40  
ブラック .....10



MG-040 ブラック .....60  
イエロー .....20  
レッド .....20



# バラエティーにあふれた色彩・鮮明な色調



## 高級溶剤型着色剤 **マイルドステイン**

### 特 長

#### ■高い着色効果

素材への浸透性が非常に優れ、濃色仕上げの場合でも本品を仕上げる塗料に5%程添加するだけで十分な着色効果を発揮します。同時に主体となる塗料の不揮発分（肉持ち）の低下をおさえます。

#### ■優れた耐候性、耐薬品性

精度の高い染料系を使用しているため日光による変色、色あせすることがなく、塗料に適正量添加しても物性の低下はありません。

#### ■際立つ透明性

染料系であるため、色彩は鮮明であり、顔料系着色剤のみでは得られない透明感をお約束いたします。

#### ■簡単な調色

特長ある原色を揃えておりますので配色も簡単、ご希望の色彩を得ることができます。しかも、仕上がりはその名のごとくマイルドに！

### 中間着色

生地着色はもちろん、下塗り、上塗り（ウレタン、ラッカー、アクリル）に対し自由に添加配色ができるほか、他の顔料系着色剤（UCカラーDL、ジャストリーカラー、ユニットステイン、ECパステルカラー）や目止剤に混入して使用することもできます（但し、ポリエステル、アミノ系、水性、油性等には使用できません）。

### 使用上のご注意

- マイルドステインを塗料に対して15%以上添加する場合は、乾燥が遅くなり密着性にも影響しますのでご注意ください。
- ニューワイドステイン、ロイヤルステイン、ユニットステイン、PGAワイピングステインとの混合配色は自由にできますが、同じ原色でも色の発色はそれぞれ特色がありますので混合配色する場合はご注意ください。
- 生地着色をする場合、希釈シンナーは当社のUSBレジュースーをご使用ください。高い着色効果が得られます。

### 荷 姿

各 色      16ℓ      4ℓ

## MILD STAIN

MILD STAIN with its excellent coloring power and permeability to ground is high-class coloring agent. It is suitable for creating brilliant and beautiful finish for grain.

### Feature

1. MILD STAIN is coloring agent with deep tint, brilliancy and excellent light-fastness. Since MILD STAIN's permeability to the base is excellent and its coloring power is twice as excellent as NEW WIDE STAIN, a small amount of MILD STAIN exerts desired coloring effect.
2. Due to unique primarily colors, wide variety of hues can be easily obtained.
3. MILD STAIN can be applied to the base and freely mixed with lacquer-based clear and urethan-based clear and sealer. However it is insoluble in polyester, amine resin, water-based paint and oil-based paint.

### Caution for Use

1. Over 15 percent MILD STAIN to the paint results in inadequate curing and reducing coherence.
2. MILD STAIN can be freely mixed with NEW WIDE STAIN, ROYAL STAIN, UNIT STAIN and PGA WIPING STAIN. However it must be remembered that colors differ somewhat between MILD STAIN and others.
3. If MILD STAIN is to be applied to the wood surface Use USB REDUCER in combination.

## OTANI PAINT MFG CO., LTD.

HEAD OFFICE : 1-18, 3-CHOME, HIGASHINAKAMOTO,  
HIGASHINARI-KU, OSAKA, JAPAN. 〒537-0021

BRANCH : TOKYO. NAGOYA. FUKUYAMA, SANIN.  
SIKOKU. FUKUOKA, KUMAMOTO.

### MAIN PRODUCTS :

SYNTEHTIC RESIN VARNISH, POLYESTER.  
POLYURETHAN, ACRYL PAINT & UNIQUE  
COLOUR STAIN WOOD PRESERVATIVE STAIN.